

A subsidiary of Pinnacle West Capital Corporation

2007 SEP 19 P 4: 51

Barbara Klemstine Director Regulation and Pricing Tel. 602-250-4563 CORP COMMIS Mail Station 9708
Fax 602-250-3009 OCKET COMMIS POBlex 53999
e-mail Barbara.Klemstine@aps.comTR Phoenix, Arizona 85072-3999

September 19, 2007

Docket Control Arizona Corporation Commission 1200 W. Washington Street Phoenix, Arizona 85007

RE:

PALO VERDE OUTAGE REPORT

DECISION NO. 69663

DOCKET NO. E-01345A-05-0816, E-01345A-05-0826, E-01345A-05-0827

Dear Sir or Madame:

Pursuant to Decision No. 69663, enclosed please find the Company's initial Outage Report for planned or unplanned outages at the Palo Verde Nuclear Generating Station.

If you have any questions, please call Jeff Johnson at 602-250-2661.

Sincerely,

Barbara Klemstine

BK/bgs

cc:

Brian Bozzo

Ernest Johnson

Barbara Klemstere

Arizona Corporation Commission DOCKETED

SEP 19 2007

DOCKETED BY

50

OUTAGE REPORT PALO VERDE NUCLEAR GENERATING STATION PURSUANT TO DECISION NO. 69663

Type of Outage:

Planned (Unit 1 Refueling)

Date(s) of Outage:

May 19, 2007 through July 19, 2007

Duration of Outage:

61 days

Description of Outage:

The Unit 1 Refueling Outage scope included routine refueling and major projects including full structural weld overlay on select pressurizer and reactor coolant nozzles, upgrades on the refueling machine and transfer equipment, first time implementation of the containment sump modification, inspections on Reactor Coolant Pump 2B, overhauls and replacements of several key pumps and/or motors, significant check valve disassembly and inspection, and safety injection vent valve modification. The outage scope was expanded to include emergent maintenance and repair work as a result of events occurring and findings identified during the outage.

Root Cause of Outage (if determined):

Not Applicable

Replacement Net Fuel and Purchased Power Costs Incurred as a result of Planned Outage:

\$14.4 million

Amount of Reduced Off-System Sales as a result of Outage:

Not Applicable

Lost Opportunity Sales Margins as a result of Outage:

Not Applicable